

CUSRES/D21A/Process Result Output(AHR)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields								
TAG	COM P	NAME	UN/EDIFACT			NACCS		
			S	Rep	FORMAT	S	Rep	FORMAT
UNH		MESSAGE HEADER	M	1		M	1	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14
S009		MESSAGE IDENTIFIER	M	1		M	1	
	0065	Message type	M		an..6	M		an..6
	0052	Message version number	M		an..3	M		an..3
	0054	Message release number	M		an..3	M		an..3
	0051	Controlling agency, coded	M		an..3	M		an..3
	0057	Association assigned code	C		an..6	M		an..6
	0110	Code list directory version number	C		an..6	X		
	0113	Message type sub-function identification	C		an..6	X		
0068		COMMON ACCESS REFERENCE	C	1	an..35	X		
S010		STATUS OF THE TRANSFER	C	1		X		
	0070	Sequence of transfers	M		n..2	X		
	0073	First and last transfer	C		a1	X		
S016		MESSAGE SUBSET IDENTIFICATION	C	1		X		
	0115	Message subset identification	M		an..14	X		
	0116	Message subset version number	C		an..3	X		
	0118	Message subset release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		
S017		MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	1		X		
	0121	Message implementation guideline identification	M		an..14	X		
	0122	Message implementation guideline version number	C		an..3	X		
	0124	Message implementation guideline release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		
S018		SCENARIO IDENTIFICATION	C	1		X		
	0127	Scenario identification	M		an..14	X		
	0128	Scenario version number	C		an..3	X		
	0130	Scenario release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		

UNH+NACCS123456789+AHR210:D:21A:UN:NAC10'

CUSRES/D21A/Process Result Output(AHR)

BGM:BEGINNING OF MESSAGE

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	C	1		M	1				
	1001	Document name code	C		an..3	M		an..3		961	961=General response (Customs)
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	M		an..7	1	Output Information Code *SAHR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SAHR]=Process Result Output (Advance Cargo Information Registration (House B/L))
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1		X					
	1004	Document identifier	C		an..70	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					
1225		MESSAGE FUNCTION CODE	C	1	an..3	M	1	an1		9	9=Original
4343		RESPONSE TYPE CODE	C	1	an..3	X					
1373		DOCUMENT STATUS CODE	C	1	an..3	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					

BGM+961:::?*SAHR++9'

CUSRES/D21A/Process Result Output(AHR)

FTX:FREE TEXT

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		NHI	[NHI]=NACCS Header Information
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..5	1	Procedure code AHR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [AHR]=Advance Cargo Information Registration (house B/L)
	4440	Free text	C		an..512	M		an..8	1	Message Control Information	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+NHI+++AHR:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 3	C	999	C	1			
--	--	-----------------	---	-----	---	---	--	--	--

RFF:REFERENCE

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
RFF		REFERENCE	M	1		M	1				
C506		REFERENCE	M	1		M	1				
	1153	Reference code qualifier	M		an..3	M		an..3		ACW	ACW=Reference number to previous message
	1154	Reference identifier	C		an..70	M		an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1156	Document line identifier	C		an..6	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					

RFF+ACW:NACCS12345'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 4	C	99999	M	1		
--	--	-----------------	---	-------	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
ERP		ERROR POINT DETAILS	M	1		M	1				
C701		ERROR POINT DETAILS	C	1		M	1				
	1049	Message section code	C		an..3	M		an..3		2	2=Detail section
	1052	Message item identifier	C		an..35	X					
	1054	Message sub-item identifier	C		n..6	X					
C853		ERROR SEGMENT POINT DETAILS	C	1		X					
	9166	Segment tag identifier	C		an..3	X					
	1050	Sequence position identifier	C		an..10	X					
	1159	Sequence identifier source code	C		an..3	X					

ERP+2'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 4	C	99999	M	1		
--	--	-----------------	---	-------	---	---	--	--

FTX:FREE TEXT

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		AAP	AAP=Response (free text)
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..15	2	Process Result Code 1	(Process Result Code)
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 2	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 3	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 4	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 5	
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+AAP+++00000-0000-0000'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 6	C	99999	C	1(1)			
--	--	-----------------	---	-------	---	------	--	--	--

DOC:DOCUMENT/MESSAGE DETAILS

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	M	1		M	1				
	1001	Document name code	C		an..3	M		an..3		704	704=Master bill of lading
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	X					
C503		DOCUMENT/MESSAGE DETAILS	C	1		X					
	1004	Document identifier	C		an..70	X					
	1373	Document status code	C		an..3	X					
	1366	Document source description	C		an..70	X					
	3453	Language name code	C		an..3	X					
	1056	Version identifier	C		an..9						
	1060	Revision identifier	C		an..6	X					
3153		COMMUNICATION MEDIUM TYPE CODE	C	1	an..3	X					
1220		DOCUMENT COPIES REQUIRED QUANTITY	C	1	n..2	X					
1218		DOCUMENT ORIGINALS REQUIRED QUANTITY	C	1	n..2	X					

DOC+704'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 6	C	99999	C	1(1)			
--	--	-----------------	---	-------	---	------	--	--	--

RFF:REFERENCE

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
RFF		REFERENCE	C	9		M	1				
C506		REFERENCE	M	1		M	1				
	1153	Reference code qualifier	M		an..3	M		an..3		MB	MB=Master bill of lading number
	1154	Reference identifier	C		an..70	M		an..35	3	Master B/L Number	
	1156	Document line identifier	C		an..6	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					

RFF+MB:ABCD12345678'

CUSRES/D21A/Process Result Output(AHR)

	SEGMENT GROUP 6	C	99999	C	1(1)		
--	-----------------	---	-------	---	------	--	--

GEI:PROCESSING INFORMATION

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
GEI		PROCESSING INFORMATION	C	99		C	1				
9649		PROCESSING INFORMATION CODE QUALIFIER	M	1	an..3	M		an..3		6	6=Statistical array processing
C012		PROCESSING INDICATOR	C	1							
	7365	Processing indicator description code	C		an..3	M		an1	5	B/L Discrepancy Identifier 1 2	1=When 'House B/L' and 'Master B/L' whose 'Master B/L Identifier' is NOT filled with 'M' is entered. 2=When 'House B/L' and 'Master B/L' to which AMR/CMR has NOT been done' is entered.
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	7364	Processing indicator description	C		an..35	X					
7187		PROCESS TYPE DESCRIPTION CODE	C	1	an..17	X					

GEI+6+1'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 6	C	99999	C	1(2)			
--	--	-----------------	---	-------	---	------	--	--	--

DOC:DOCUMENT/MESSAGE DETAILS

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
DOC		DOCUMENT/MESSAGE DETAILS	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	M	1		M	1				
	1001	Document name code	C		an..3	M		an..3		714	714=House bill of lading
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	X					
C503		DOCUMENT/MESSAGE DETAILS	C	1		X					
	1004	Document identifier	C		an..70	X					
	1373	Document status code	C		an..3	X					
	1366	Document source description	C		an..70	X					
	3453	Language name code	C		an..3	X					
	1056	Version identifier	C		an..9						
	1060	Revision identifier	C		an..6	X					
3153		COMMUNICATION MEDIUM TYPE CODE	C	1	an..3	X					
1220		DOCUMENT COPIES REQUIRED QUANTITY	C	1	n..2	X					
1218		DOCUMENT ORIGINALS REQUIRED QUANTITY	C	1	n..2	X					

DOC+714'

CUSRES/D21A/Process Result Output(AHR)

		SEGMENT GROUP 6	C	99999	C	1(2)			
--	--	-----------------	---	-------	---	------	--	--	--

RFF:REFERENCE

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
RFF		REFERENCE	C	9		M	1				
C506		REFERENCE	M	1		M	1				
	1153	Reference code qualifier	M		an..3	M		an..3		BH	BH=House bill of lading number
	1154	Reference identifier	C		an..70	M		an..35	4	House B/L Number	
	1156	Document line identifier	C		an..6	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					

RFF+BH:NAC112345678'

CUSRES/D21A/Process Result Output(AHR)

UNT:MESSAGE TRAILER

TAG	COM P	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
UNT		MESSAGE TRAILER	M	1		M	1				
0074		NUMBER OF SEGMENTS IN A MESSAGE	M	1	n..10	M	1	n..10		The number of segments in the message	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		Message Reference Number	

UNT+12+NACCS123456789'

AHR210

UNH+NACCS123456789+AHR210:D:21A:UN:NAC10'
 BGM+961:::?*SAHR++9'
 FTX+NHI+++AHR:000ER:1ABC2C20010407092530000001:AAABBBCCC'
 RFF+ACW:NACCS12345'
 ERP+2'
 FTX+AAP+++00000-0000-0000'
 DOC+704'
 RFF+MB:ABCD12345678'
 GEI+6+1'
 DOC+714'
 RFF+BH:NAC112345678'
 UNT+12+NACCS123456789'