

CUSRES/D21A/Process Result Output(AMR)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields in Procedure Specification

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.*	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
UNH		MESSAGE HEADER	M	1		M	1				
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		Message reference number	
S009		MESSAGE IDENTIFIER	M	1		M	1				
	0065	Message type	M		an..6	M		an..6		AMR210	
	0052	Message version number	M		an..3	M		an..3		D	
	0054	Message release number	M		an..3	M		an..3		21A	
	0051	Controlling agency, coded	M		an..3	M		an..3		UN	
	0057	Association assigned code	C		an..6	M		an..6		NAC10	[NAC10]
	0110	Code list directory version number	C		an..6	X					
	0113	Message type sub-function identification	C		an..6	X					
0068		COMMON ACCESS REFERENCE	C	1	an..35	X					
S010		STATUS OF THE TRANSFER	C	1		X					
	0070	Sequence of transfers	M		n..2	X					
	0073	First and last transfer	C		a1	X					
S016		MESSAGE SUBSET IDENTIFICATION	C	1		X					
	0115	Message subset identification	M		an..14	X					
	0116	Message subset version number	C		an..3	X					
	0118	Message subset release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					
S017		MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	1		X					
	0121	Message implementation guideline identification	M		an..14	X					
	0122	Message implementation guideline version number	C		an..3	X					
	0124	Message implementation guideline release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					
S018		SCENARIO IDENTIFICATION	C	1		X					
	0127	Scenario identification	M		an..14	X					
	0128	Scenario version number	C		an..3	X					
	0130	Scenario release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					

UNH+NACCS123456789+AMR210:D:21A:UN:NAC10'

CUSRES/D21A/Process Result Output(AMR)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	C	1		M	1				
	1001	Document name code	C		an..3	M		an..3		961	961=General response (Customs)
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	M		an..7	1	Output information code *SAMR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SAMR]=Process Result Output (Advance Cargo Information Registration)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1		X					
	1004	Document identifier	C		an..70	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					
1225		MESSAGE FUNCTION CODE	C	1	an..3	M	1	an1		9	9=Original
4343		RESPONSE TYPE CODE	C	1	an..3	X					
1373		DOCUMENT STATUS CODE	C	1	an..3	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					

BGM+961:::?*SAMR++9'

CUSRES/D21A/Process Result Output(AMR)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		NHI	[NHI]=NACCS header information
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
4441		Free text description code	M		an..17	X					
1131		Code list identification code	C		an..17	X					
3055		Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..5	1	Procedure code AMR	Input / Output Common Fields(Refer to NACCS EDI Specifications) [AMR]=Advance Cargo Information Registration
	4440	Free text	C		an..512	M		an..8	1	Message control information	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+NHI+++AMR:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 3	C	999	C	1			
--	--	-----------------	---	-----	---	---	--	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
RFF		REFERENCE	M	1		M	1				
C506		REFERENCE	M	1		M	1				
	1153	Reference code qualifier	M		an..3	M		an..3		ACW	ACW=Reference number to previous message
	1154	Reference identifier	C		an..70	M		an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1156	Document line identifier	C		an..6	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					

RFF+ACW:NACCS12345'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 4	C	99999	M	1		
--	--	-----------------	---	-------	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
ERP		ERROR POINT DETAILS	M	1		M	1				
C701		ERROR POINT DETAILS	C	1		M	1				
	1049	Message section code	C		an..3	M		an..3		2	2=Detail section
	1052	Message item identifier	C		an..35	X					
	1054	Message sub-item identifier	C		n..6	X					
C853		ERROR SEGMENT POINT DETAILS	C	1		X					
	9166	Segment tag identifier	C		an..3	X					
	1050	Sequence position identifier	C		an..10	X					
	1159	Sequence identifier source code	C		an..3	X					

ERP+2'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 4	C	99999	M	1			
--	--	-----------------	---	-------	---	---	--	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		AAP	AAP=Response (free text)
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..15	2	Process Result Code 1	(Process Result Code)
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 2	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 3	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 4	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 5	
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+AAP+++00000-0000-0000'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 6	C	99999	C	1		
--	--	-----------------	---	-------	---	---	--	--

DOC:DOCUMENT/MESSAGE DETAILS

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT	
DOC		DOCUMENT/MESSAGE DETAILS	M	1		M	1		
C002		DOCUMENT/MESSAGE NAME	M	1		M	1		
	1001	Document name code	C		an..3	M		an..3	85
	1131	Code list identification code	C		an..17	X			
	3055	Code list responsible agency code	C		an..3	X			
	1000	Document name	C		an..35	X			
C503		DOCUMENT/MESSAGE DETAILS	C	1		X			
	1004	Document identifier	C		an..70	X			
	1373	Document status code	C		an..3	X			
	1366	Document source description	C		an..70	X			
	3453	Language name code	C		an..3	X			
	1056	Version identifier	C		an..9				
	1060	Revision identifier	C		an..6	X			
3153		COMMUNICATION MEDIUM TYPE CODE	C	1	an..3	X			
1220		DOCUMENT COPIES REQUIRED QUANTITY	C	1	n..2	X			
1218		DOCUMENT ORIGINALS REQUIRED QUANTITY	C	1	n..2	X			

DOC+85'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 6	C	99999	C	1		
--	--	-----------------	---	-------	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT	
RFF		REFERENCE	C	9		M	1		
C506		REFERENCE	M	1		M	1		
	1153	Reference code qualifier	M		an..3	M		an..3	BM
	1154	Reference identifier	C		an..70	M		an..35	3
	1156	Document line identifier	C		an..6	X			
	1056	Version identifier	C		an..9	X			
	1060	Revision identifier	C		an..6	X			

RFF+BM:ABCD12345678'

CUSRES/D21A/Process Result Output(AMR)

		SEGMENT GROUP 6	C	99999	C	1		
--	--	-----------------	---	-------	---	---	--	--

GEI:PROCESSING INFORMATION

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
GEI		PROCESSING INFORMATION	C	99		C	1				
9649		PROCESSING INFORMATION CODE QUALIFIER	M	1	an..3	M		an..3		6	6=Statistical array processing
C012		PROCESSING INDICATOR	C	1							
	7365	Processing indicator description code	C		an..3	M		an1	4	B/L Discrepancy Identifier 1 2	1=When no House B/L is related to the entered B/L even though "M" is entered in "Master B/L Identifier". 2=When there are any House B/Ls related to the entered B/L even though "Master B/L Identifier" is blank.
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	7364	Processing indicator description	C		an..35	X					
7187		PROCESS TYPE DESCRIPTION CODE	C	1	an..17	X					

GEI+6+1'

CUSRES/D21A/Process Result Output(AMR)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
UNT		MESSAGE TRAILER	M	1		M	1				
0074		NUMBER OF SEGMENTS IN A MESSAGE	M	1	n..10	M	1	n..10		The number of segments in the message	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		Message reference number	

UNT+10+NACCS123456789'

AMR210

UNH+NACCS123456789+AMR210:D:21A:UN:NAC10'
BGM+961:::2*SAMR++9'
FTX+NHI+++AMR:000ER:1ABC2C20010407092530000001:AAABBBCCC'
RFF+ACW:NACCS12345'
ERP+2'
FTX+AAP+++00000-0000-0000'
DOC+85'
RFF+BM:ABCD12345678'
GEI+6+1'
UNT+10+NACCS123456789'