

CUSRES/D21A/処理結果通知 (BKR, BKC)

UNH:MESSAGE HEADER

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番※	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
UNH		MESSAGE HEADER	M	1		M	1				
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		メッセージ参照番号	
S009		MESSAGE IDENTIFIER	M	1		M	1				
	0065	Message type	M		an..6	M		an..6		BKR210	
	0052	Message version number	M		an..3	M		an..3		D	
	0054	Message release number	M		an..3	M		an..3		21A	
	0051	Controlling agency, coded	M		an..3	M		an..3		UN	
	0057	Association assigned code	C		an..6	M		an..6		NAC10	[NAC10]
	0110	Code list directory version number	C		an..6	X					
	0113	Message type sub-function identification	C		an..6	X					
0068		COMMON ACCESS REFERENCE	C	1	an..35	X					
S010		STATUS OF THE TRANSFER	C	1		X					
	0070	Sequence of transfers	M		n..2	X					
	0073	First and last transfer	C		a1	X					
S016		MESSAGE SUBSET IDENTIFICATION	C	1		X					
	0115	Message subset identification	M		an..14	X					
	0116	Message subset version number	C		an..3	X					
	0118	Message subset release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					
S017		MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	1		X					
	0121	Message implementation guideline identification	M		an..14	X					
	0122	Message implementation guideline version number	C		an..3	X					
	0124	Message implementation guideline release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					
S018		SCENARIO IDENTIFICATION	C	1		X					
	0127	Scenario identification	M		an..14	X					
	0128	Scenario version number	C		an..3	X					
	0130	Scenario release number	C		an..3	X					
	0051	Controlling agency, coded	C		an..3	X					

UNH+NACCS123456789+BKR210:D:21A:UN:NAC10'

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	C	1		M	1				
	1001	Document name code	C		an..3	M		an..3		770	770=Booking confirmation
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	M		an..7	1	出力情報コード *SBKR *SBKC	入出力共通項目 (ED1仕様書参照) [*SBKR]=処理結果通知 (ブッキング情報登録) [*SBKC]=処理結果通知 (ブッキング情報変更)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1		X					
	1004	Document identifier	C		an..70	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					
1225		MESSAGE FUNCTION CODE	C	1	an..3	M	1	an1		9	9=Original
4343		RESPONSE TYPE CODE	C	1	an..3	X					
1373		DOCUMENT STATUS CODE	C	1	an..3	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					

BGM+770:::*SBKR++9'

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		NH1	[NH1]=NACCSヘッダ情報
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..5	1	業務コード BKR BKC	入出力共通項目 (EDI仕様書参照) [BKR]=ブッキング情報登録 [BKC]=ブッキング情報訂正
	4440	Free text	C		an..512	M		an..8	1	電文制御情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C		an..512	C		an..26	1	電文引継情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C		an..512	C		an..64	1	索引引継情報	入出力共通項目 (EDI仕様書参照)
	4440	Free text	C		an..512	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+NH1+++BKR:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D21A/処理結果通知 (BKR, BKC)

TDT:TRANSPORT INFORMATION

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
TDT		TRANSPORT INFORMATION	C	9		C	1				
8051		TRANSPORT STAGE CODE QUALIFIER	M	1	an..3	M	1	an..3		20	20=Main-carriage transport
8028		MEANS OF TRANSPORT JOURNEY IDENTIFIER	C	1	an..17	X					
C220		MODE OF TRANSPORT	C	1		X					
	8067	Transport mode name code	C		an..3	X					
	8066	Transport mode name	C		an..17	X					
C001		TRANSPORT MEANS	C	1		X					
	8179	Transport means description code	C		an..8	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	8178	Transport means description	C		an..17	X					
C040		CARRIER	C	1		M	1				
	3127	Carrier identifier	C		an..17	M		an..4	3	船会社コード	(NACCS用船会社コード)
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	M		an..3		213	213=JP, NACCS Center (Nippon Automated Cargo And Port Consolidated System, Inc.)
	3126	Carrier name	C		an..35	X					
8101		TRANSIT DIRECTION INDICATOR CODE	C	1	an..3	X					
C401		EXCESS TRANSPORTATION INFORMATION	C	1		X					
	8457	Excess transportation reason code	M		an..3	X					
	8459	Excess transportation responsibility code	M		an..3	X					
	7130	Customer shipment authorisation identifier	C		an..17	X					
C222		TRANSPORT IDENTIFICATION	C	1		X					
	8213	Transport means identification name identifier	C		an..35	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	8212	Transport means identification name	C		an..70	X					
	8453	Transport means nationality code	C		an..3	X					

8281		TRANSPORT MEANS OWNERSHIP INDICATOR CODE	C	1	an..3	X						
C003		POWER TYPE	C	1		X						
	7041	Power type code	C		an..3	X						
	1131	Code list identification code	C		an..17	X						
	3055	Code list responsible agency code	C		an..3	X						
	7040	Power type description	C		an..17	X						
C290		TRANSPORT SERVICE	C	1		X						
	8462	Transport service identification code	C		an..17	X						
	1131	Code list identification code	C		an..17	X						
	3055	Code list responsible agency code	C		an..3	X						
	8463	Transport service name	C		an..35	X						
	8464	Transport service description	C		an..256	X						

TDT+20++++ABCD::213'

	SEGMENT GROUP 3	C	999	C	1 (1)		
--	-----------------	---	-----	---	-------	--	--

RFF : REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT	
RFF		REFERENCE	M	1		M	1		
C506		REFERENCE	M	1		M	1		
	1153	Reference code qualifier	M		an..3	M		an..3	ACW
	1154	Reference identifier	C		an..70	M		an..10	1
	1156	Document line identifier	C		an..6	X			
	1056	Version identifier	C		an..9	X			
	1060	Revision identifier	C		an..6	X			

RFF+ACW:NACCS12345'

	SEGMENT GROUP 3	C	999	C	1 (2)		
--	-----------------	---	-----	---	-------	--	--

RFF : REFERENCE

TAG	COMP	NAME	UN/EDIFACT		NACCS		項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT	
RFF		REFERENCE	M	1		M	1		
C506		REFERENCE	M	1		M	1		
	1153	Reference code qualifier	M		an..3	M		an..3	BN
									BN=Consignment identifier, carrier assigned
	1154	Reference identifier	C		an..70	M		an..16	4
									ブッキング番号
	1156	Document line identifier	C		an..6	X			
	1056	Version identifier	C		an..9	X			
	1060	Revision identifier	C		an..6	X			

RFF+BN:B1234567890'

	SEGMENT GROUP 4	C	99999	M	1		
--	-----------------	---	-------	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
ERP		ERROR POINT DETAILS	M	1		M	1				
C701		ERROR POINT DETAILS	C	1		M	1				
	1049	Message section code	C		an..3	M		an..3		2	2=Detail section
	1052	Message item identifier	C		an..35	X					
	1054	Message sub-item identifier	C		n..6	X					
C853		ERROR SEGMENT POINT DETAILS	C	1		X					
	9166	Segment tag identifier	C		an..3	X					
	1050	Sequence position identifier	C		an..10	X					
	1159	Sequence identifier source code	C		an..3	X					

ERP+2'

	SEGMENT GROUP 4	C	99999	M	1		
--	-----------------	---	-------	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		AAP	AAP=Response (free text)
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..15	2	処理結果コード1	(処理結果コード)
	4440	Free text	C		an..512	C		an..15	2	処理結果コード2	
	4440	Free text	C		an..512	C		an..15	2	処理結果コード3	
	4440	Free text	C		an..512	C		an..15	2	処理結果コード4	
	4440	Free text	C		an..512	C		an..15	2	処理結果コード5	
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+AAP+++00000-0000-0000'

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT			NACCS			項番	項目名/設定値	特記事項
			S	Rep	FORMAT	S	Rep	FORMAT			
UNT		MESSAGE TRAILER	M	1		M	1				
0074		NUMBER OF SEGMENTS IN A MESSAGE	M	1	n..10	M	1	n..10		メッセージ内のセグメント数	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		メッセージ参照番号	

UNT+9+NACCS123456789'

BKR210

UNH+NACCS123456789+BKR210:D:21A:UN:NAC10'
BGM+770:::?*SBKR++9'
FTX+NHI+++BKR:000ER:1ABC2C20010407092530000001:AAABBBGCC'
TDT+20++++ABCD::213'
RFF+ACW:NACCS12345'
RFF+BN:B1234567890'
ERP+2'
FTX+AAP+++00000-0000-0000'
UNT+9+NACCS123456789'