

CUSRES/D21A/Process Result Output(ATD)

UNH:MESSAGE HEADER

*Refer to the Field Number of the List of Input / Output Fields in Procedure Specification								
TAG	COMP	NAME	UN/EDIFACT			NACCS		
			S	Rep	FORMAT	S	Rep	FORMAT
UNH		MESSAGE HEADER	M	1		M	1	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14
								Message Reference Number
S009		MESSAGE IDENTIFIER	M	1		M	1	
	0065	Message type	M		an..6	M		an..6
	0052	Message version number	M		an..3	M		an..3
	0054	Message release number	M		an..3	M		an..3
	0051	Controlling agency, coded	M		an..3	M		an..3
	0057	Association assigned code	C		an..6	M		an..6
	0110	Code list directory version number	C		an..6	X		
	0113	Message type sub-function identification	C		an..6	X		
0068		COMMON ACCESS REFERENCE	C	1	an..35	X		
S010		STATUS OF THE TRANSFER	C	1		X		
	0070	Sequence of transfers	M		n..2	X		
	0073	First and last transfer	C		a1	X		
S016		MESSAGE SUBSET IDENTIFICATION	C	1		X		
	0115	Message subset identification	M		an..14	X		
	0116	Message subset version number	C		an..3	X		
	0118	Message subset release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		
S017		MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	1		X		
	0121	Message implementation guideline identification	M		an..14	X		
	0122	Message implementation guideline version number	C		an..3	X		
	0124	Message implementation guideline release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		
S018		SCENARIO IDENTIFICATION	C	1		X		
	0127	Scenario identification	M		an..14	X		
	0128	Scenario version number	C		an..3	X		
	0130	Scenario release number	C		an..3	X		
	0051	Controlling agency, coded	C		an..3	X		

UNH+NACCS123456789+ATD210:D:21A:UN:NAC10'

CUSRES/D21A/Process Result Output(ATD)

BGM:BEGINNING OF MESSAGE

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.*	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
BGM		BEGINNING OF MESSAGE	M	1		M	1				
C002		DOCUMENT/MESSAGE NAME	C	1		M	1				
	1001	Document name code	C		an..3	M		an..3		961	961=General response (Customs)
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	1000	Document name	C		an..35	M		an..7	1	Output Information Code *SATD	Input / Output Common Fields(Refer to NACCS EDI Specifications) [*SATD]=Process Result Output (Departure Time Registration)
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1		X					
	1004	Document identifier	C		an..70	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					
1225		MESSAGE FUNCTION CODE	C	1	an..3	M	1	an1		9	9=Original
4343		RESPONSE TYPE CODE	C	1	an..3	X					
1373		DOCUMENT STATUS CODE	C	1	an..3	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					

BGM+961:::*SATD++9'

CUSRES/D21A/Process Result Output(ATD)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1(1)				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		NHI	[NHI]=NACCS Header Information
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..5	1	Procedure Code ATD	Input / Output Common Fields(Refer to NACCS EDI Specifications) [ATD]=Departure Time Registration
	4440	Free text	C		an..512	M		an..8	1	Message Control Information	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..26	1	Message Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	C		an..64	1	Index Tag	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	4440	Free text	C		an..512	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+NHI+++ATD:000ER:1ABC2C20010407092530000001:AAABBBCCC'

CUSRES/D21A/Process Result Output(ATD)

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		C	1(2)				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		PSB	[PSB]=Port of Loading Suffix
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an1	7	Port of Loading Suffix	
	4440	Free text	C		an..512	X					
	4440	Free text	C		an..512	X					
	4440	Free text	C		an..512	X					
	4440	Free text	C		an..512	X					
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+PSB+++1'

CUSRES/D21A/Process Result Output(ATD)

TDT:TRANSPORT INFORMATION

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
TDT		TRANSPORT INFORMATION	C	9		C	1				
8051		TRANSPORT STAGE CODE QUALIFIER	M	1	an..3	M	1	an..3		20	20=Main-carriage transport
8028		MEANS OF TRANSPORT JOURNEY IDENTIFIER	C	1	an..17	C	1	an..10	4	Voyage Number	
C220		MODE OF TRANSPORT	C	1		X					
	8067	Transport mode name code	C		an..3	X					
	8066	Transport mode name	C		an..17	X					
C001		TRANSPORT MEANS	C	1		X					
	8179	Transport means description code	C		an..8	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	8178	Transport means description	C		an..17	X					
C040		CARRIER	C	1		X					
	3127	Carrier identifier	C		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	3126	Carrier name	C		an..35	X					
8101		TRANSIT DIRECTION INDICATOR CODE	C	1	an..3	X					
C401		EXCESS TRANSPORTATION INFORMATION	C	1		X					
	8457	Excess transportation reason code	M		an..3	X					
	8459	Excess transportation responsibility code	M		an..3	X					
	7130	Customer shipment authorisation identifier	C		an..17	X					
C222		TRANSPORT IDENTIFICATION	C	1		C	1				
	8213	Transport means identification name identifier	C		an..35	M		an..9	3	Vessel Code	(call sign)
	1131	Code list identification code	C		an..17	M		an..3		PIK	[PIK]=Shift Purpose Code
	3055	Code list responsible agency code	C		an..3	X					
	8212	Transport means identification name	C		an..70	X					
	8453	Transport means nationality code	C		an..3	X					
8281		TRANSPORT MEANS OWNERSHIP INDICATOR CODE	C	1	an..3	X					
C003		POWER TYPE	C	1		X					
	7041	Power type code	C		an..3	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	7040	Power type description	C		an..17	X					
C290		TRANSPORT SERVICE	C	1		X					
	8462	Transport service identification code	C		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	8463	Transport service name	C		an..35	X					
	8464	Transport service description	C		an..256	X					

TDT+20+AABBCCDDEE+++++WXYZ:PIK'

CUSRES/D21A/Process Result Output(ATD)

LOC:PLACE/LOCATION IDENTIFICATION

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
LOC		PLACE/LOCATION IDENTIFICATION	C	99		C	1				
3227		LOCATION FUNCTION CODE QUALIFIER	M	1	an..3	M	1	an..3		9	9=Place of loading
C517		LOCATION IDENTIFICATION	C	1		M	1				
	3225	Location identifier	C		an..35	M		an..5	6	Port of Loading Code	(UN/LOCODE)
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	3224	Location name	C		an..256	X					
C519		RELATED LOCATION ONE IDENTIFICATION	C	1		X					
	3223	First related location identifier	C		an..35	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	3222	First related location name	C		an..70	X					
C553		RELATED LOCATION TWO IDENTIFICATION	C	1		X					
	3233	Second related location identifier	C		an..35	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
	3232	Second related location name	C		an..70	X					
5479		RELATION CODE	C	1	an..3	X					

LOC+9+USNYC'

CUSRES/D21A/Process Result Output(ATD)

		SEGMENT GROUP 1	C	99	C	1			
--	--	-----------------	---	----	---	---	--	--	--

NAD:NAME AND ADDRESS

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
NAD		NAME AND ADDRESS	M	1		M	1				
3035		PARTY FUNCTION CODE QUALIFIER	M	1	an..3	M	1	an..3		CPF	CPF=Means of transport charterer
C082		PARTY IDENTIFICATION DETAILS	C	1		M	1				
3039		Party identifier	M		an..35	M		an..4	5	Carrier Code	
1131		Code list identification code	C		an..17	X					
3055		Code list responsible agency code	C		an..3	M		an..3		213	213=JP, NACCS Center (Nippon Automated Cargo And Port Consolidated System, Inc.)
C058		NAME AND ADDRESS	C	1		X					
3124		Name and address description	M		an..35	X					
3124		Name and address description	C		an..35	X					
3124		Name and address description	C		an..35	X					
3124		Name and address description	C		an..35	X					
3124		Name and address description	C		an..35	X					
C080		PARTY NAME	C	1		X					
3036		Party name	M		an..70	X					
3036		Party name	C		an..70	X					
3036		Party name	C		an..70	X					
3036		Party name	C		an..70	X					
3036		Party name	C		an..70	X					
3045		Party name format code	C		an..3	X					
C059		STREET	C	1		X					
3042		Street and number or post office box identifier	M		an..256	X					
3042		Street and number or post office box identifier	C		an..256	X					
3042		Street and number or post office box identifier	C		an..256	X					
3042		Street and number or post office box identifier	C		an..256	X					
3164		CITY NAME	C	1	an..35	X					
C819		COUNTRY SUBDIVISION DETAILS	C	1		X					
3229		Country subdivision identifier	C		an..9	X					
1131		Code list identification code	C		an..17	X					
3055		Code list responsible agency code	C		an..3	X					
3228		Country subdivision name	C		an..70	X					
3251		POSTAL IDENTIFICATION CODE	C	1	an..17	X					
3207		COUNTRY IDENTIFIER	C	1	an..3	X					

NAD+CPF+ABCD::213'

CUSRES/D21A/Process Result Output(ATD)

		SEGMENT GROUP 3	C	999	C	1		
--	--	-----------------	---	-----	---	---	--	--

RFF:REFERENCE

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
RFF		REFERENCE	M	1		M	1				
C506		REFERENCE	M	1		M	1				
	1153	Reference code qualifier	M		an..3	M		an..3		ACW	ACW=Reference Number to Previous Message
	1154	Reference identifier	C		an..70	M		an..10	1	Input Message ID	Input / Output Common Fields(Refer to NACCS EDI Specifications)
	1156	Document line identifier	C		an..6	X					
	1056	Version identifier	C		an..9	X					
	1060	Revision identifier	C		an..6	X					

RFF+ACW:NACCS12345'

CUSRES/D21A/Process Result Output(ATD)

		SEGMENT GROUP 4	C	99999	M	1		
--	--	-----------------	---	-------	---	---	--	--

ERP:ERROR POINT DETAILS

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
ERP		ERROR POINT DETAILS	M	1		M	1				
C701		ERROR POINT DETAILS	C	1		M	1				
	1049	Message section code	C		an..3	M		an..3		2	2=Detail section
	1052	Message item identifier	C		an..35	X					
	1054	Message sub-item identifier	C		n..6	X					
C853		ERROR SEGMENT POINT DETAILS	C	1		X					
	9166	Segment tag identifier	C		an..3	X					
	1050	Sequence position identifier	C		an..10	X					
	1159	Sequence identifier source code	C		an..3	X					

ERP+2'

CUSRES/D21A/Process Result Output(ATD)

		SEGMENT GROUP 4	C	99999	M	1		
--	--	-----------------	---	-------	---	---	--	--

FTX:FREE TEXT

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
FTX		FREE TEXT	C	99		M	1				
4451		TEXT SUBJECT CODE QUALIFIER	M	1	an..3	M	1	an..3		AAP	AAP=Response (free text)
4453		FREE TEXT FUNCTION CODE	C	1	an..3	X					
C107		TEXT REFERENCE	C	1		X					
	4441	Free text description code	M		an..17	X					
	1131	Code list identification code	C		an..17	X					
	3055	Code list responsible agency code	C		an..3	X					
C108		TEXT LITERAL	C	1		M	1				
	4440	Free text	M		an..512	M		an..15	2	Process Result Code 1	(Process Result Code)
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 2	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 3	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 4	
	4440	Free text	C		an..512	C		an..15	2	Process Result Code 5	
3453		LANGUAGE NAME CODE	C	1	an..3	X					
4447		FREE TEXT FORMAT CODE	C	1	an..3	X					

FTX+AAP+++00000-0000-0000'

CUSRES/D21A/Process Result Output(ATD)

UNT:MESSAGE TRAILER

TAG	COMP	NAME	UN/EDIFACT			NACCS			No.	Field name/Set value	Special Notes
			S	Rep	FORMAT	S	Rep	FORMAT			
UNT		MESSAGE TRAILER	M	1		M	1				
0074		NUMBER OF SEGMENTS IN A MESSAGE	M	1	n..10	M	1	n..10		The Number of Segments in the Message	
0062		MESSAGE REFERENCE NUMBER	M	1	an..14	M	1	an..14		Message Reference Number	

UNT+11+NACCS123456789'

ATD210

UNH+NACCS123456789+ATD210:D:21A:UN:NAC10'

BGM+961:::*SATD++9'

FTX+NHI+++ATD:000ER:1ABC2C20010407092530000001:AAABBBCCC'

FTX+PSB+++1'

TDT+20+AABBCCDDEE+++++WXYZ:PIK'

LOC+9+USNYC'

NAD+CPF+ABCD::213'

RFF+ACW:NACCS12345'

ERP+2'

FTX+AAP+++00000-0000-0000'

UNT+11+NACCS123456789'