Proce	dure	Name (Procedure Code)	Updat	e M	anife	st In	form	natio	n (Before	the	Manif	fest S	Subr	niss	ion	pro	ceo	dure) (CMF01)	
		,								_	Condi							-	
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full con	rection of container ventional cargo	, `	correct emp conta	oty	of	De	eleti	ion		Code	Input Condition/Format
1		Input Common Field		an	398			м		N	1		N	1		Τ	T		
2		Function Type Code	KND	an	1			м		N	1	T	N	1					5: Correction 1: Deletion
3		Reserved area	сос	an	1			x		×	:		,	(					Enter a space. NACCS package software users do not have to enter the data.
4		Reserved area	COR	an	210			x		×			,	(					Enter a space. NACCS package software users do not have to enter the data.
5		Reason for Deletion Code	DLC	an	1			x		×	<		N	1					Enter [Reason for Deletion Code] if [1: Deletion] is entered in [Function Type Code]. 1: Loading suspended 2: Landing suspended 3: B/L Number changed 4: Misregistration 5: Others
6		Reason for Deletion	DLR	an	210			x		×	(			c	;				Enter [Reason for Deletion] if [5: Others] is entered in [Reason for Deletion Code].
7		Vessel Code	SEN	an	9			м		N	1		N	1			(	Call sign	
8		Operating Carrier Voyage Number	uvo	an	10			с		c	;								Enter [Operating Carrier Voyage Number].
9		Voyage Number	VOY	an	10			с		c	;		-				T		
10		Carrier Code	SCA	an	4			м		N	1		N	1				Carrier Code NACCS Carrier Code)	Enter [Carrier Code] of the Carrier listed in the Manifest for the procedure.
11		Port of Discharge Code	DPR	an	5			м		N	1		N	1			l		<ol> <li>Enter [Port of Discharge Code] for port of discharge (or [Temporary Port of Discharge Code] for temporary port of discharge).</li> <li>The port must be registered in the system as for coastal vessels.</li> </ol>
12		Port of Discharge Suffix	EDA	an	1			с		c	;		0	;					Enter [Port of Discharge Suffix] (1 to 9) of the Manifest for this procedure.
13		Estimated Date of Arrival	IDT	n	8			с		c	;	T	-		T	T	Ť		
14		Container Operator Code	СҮС	an	5			м		N	1		N	1			l		<ol> <li>Enter [User Code] of the Container Operator for CY handling.</li> <li>Enter "99999" if the cargo is not landed in the CY or the container operator has not joined the system.</li> </ol>
15		B/L Number	BLN	an	35			м		×			c	;					<ol> <li>The first 4 digits must be the Carrier Code (NACCS Carrier Code).</li> <li>The Number must be 5 digits or more.</li> <li>There should not be any comma.</li> </ol>
16		Port of Loading Code	LPR	an	5				м	С	;		-				ι	JN/LOCODE	

Proce	dure	Name (Procedure Code)	Updat	e Ma	anife	st In	forn	natio	n (B	lefore t				omi	ssio	n pr	oce	edure) (CMF01)	
												Cond	lition						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full ( con	cont	tion of tainer, itional go		errect emp conta	oty	[	)ele	tion		Code	Input Condition/Format
17		Final Destination Code	DST	an	5				с		-			_				UN/LOCODE	<ul> <li>(1) If the cargo is temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started.</li> <li>(2) If [Final Destination Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.</li> </ul>
18		Final Destination Name	DSN	an	20				с		-			-					Enter [Final Destination Name] if a basket code is entered in [Final Destination Code] (including if [Final Destination Code] is converted to a basket code).
19		Place of Delivery Code	DLP	an	5				с		-			-				UN/LOCODE	<ol> <li>Enter [Place of Delivery Code] for cargo shipped to Japan.</li> <li>If the cargo is temporary landing cargo, the code should not be the same as [Port of Discharge Code].</li> <li>If the cargo is temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started.</li> <li>If [Place of Delivery Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.</li> </ol>
20		Place of Delivery Name	DLN	an	20				с		-			-					Enter [Place of Delivery Name] if a basket code is entered in [Place of Delivery Code] (including if [Place of Delivery Code] is converted to a basket code).
21		Consignor Code	SHS	an	17				с		-			-				Importer/Exporter Code Corporate Number	
22		Consignor Name	SHN	an	70				F		-			-					<ol> <li>When the consignor has no "Consignor Code", entry of this field is mandatory.</li> <li>When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.</li> </ol>
23		Consignor Address (block entry)	SHA	an	175				с		-			-					<ol> <li>When the consignor has no "Consignor Code", enter this field or the following separate consignor address fields.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or the following separate consignor address fields.</li> <li>When the following separate consignor address fields are filled in, entry of this field is NOT allowed.</li> </ol>
24		Consignor Address 1/4 (Street and number/P.O. Box)	SH1	an	70				с		-			-					<ol> <li>When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field.</li> <li>Enter Consignor Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>

Proce	dure	Name (Procedure Code)	Updat	te M	anife	st In	form	natio	on (E	Before	e the	e Ma	nifes	st Su	ıbm	issio	on p	roce	edure) (CMF01)	
							$\square$				_	Cor	nditic	n						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Co full coi	con	tion of tainer ntional go	; '	er	ectior npty itaine			Dele	etior	١	Code	Input Condition/Format
25		Consignor Address 2/4 (Street and number/P.O. Box)	SH2	an	35				с						-					<ol> <li>When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field.</li> <li>Enter Consignor Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
26		Consignor Address 3/4 (City name)	SH3	an	35				с						-					<ol> <li>When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field.</li> <li>When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field.</li> <li>Enter Consignor Address 3/4 (City name), which differs from the one registered in NACCS, as needed.</li> <li>When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
27		Consignor Address 4/4 (Country sub-entity, name)	SH4	an	35				С						-					<ul> <li>(1) When the consignor has no "Consignor Code", enter this field as needed.</li> <li>(2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field as needed.</li> <li>(3) Enter Consignor Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed.</li> <li>(4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ul>
28		Consignor Postal Code (Postcode identification)	SHP	an	9				С						-					<ol> <li>When the consignor has no "Consignor Code", enter this field.</li> <li>When a consignor postal code corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Consignor Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.</li> </ol>
29		Consignor Country Code (Country, coded)	SHC	an	2				С						-				UN/LOCODE (Country name: 2 digits)	<ol> <li>When the consignor has no "Consignor Code", enter this field.</li> <li>When a country (regional) name corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Consignor Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed.</li> <li>"ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> </ol>

Proce	dure	Name (Procedure Code)	Updat	e M	anife	st In	forn	natio	n (B	efore	the	Mar	ifes	t Su	bmi	ssic	on p	roce	edure) (CMF01)	
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full ( con	cont	ion of tainer, tional go	Co	Con orrec em cont	ction pty	of	[	Dele	etion	1	Code	Input Condition/Format
30		Consignor Telephone Number	SHT	an	14				с		-				-					<ol> <li>When the consignor has no "Consignor Code", enter this field.</li> <li>When a telephone number corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Consignor Telephone Number, which differs from the one registered in NACCS, as needed.</li> <li>* When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)</li> </ol>
31		Consignee Code	CNS	an	17				с		-				-				Importer/Exporter Code Corporate Number	
32		Consignee Name	CNN	an	70				F		_				-					<ol> <li>When the consignee has no "Consignee Code", entry of this field is mandatory.</li> <li>When a consignee name corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory.</li> </ol>
33		Consignee Address (block entry)	CNA	an	175				с		-				-					<ol> <li>When the consignee has no "Consignee Code", enter this field or the following separate consignee address fields.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or the following separate consignee address fields.</li> <li>When the following separate consignee address fields are filled in, entry of this field is NOT allowed.</li> </ol>
34		Consignee Address 1/4 (Street and number/P.O. Box)	CN1	an	70				с		-				-					<ol> <li>When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field.</li> <li>Enter Consignee Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
35		Consignee Address 2/4 (Street and number/P.O. Box)	CN2	an	35				С		-				-					<ol> <li>When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field.</li> <li>When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field.</li> <li>Enter Consignee Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>

Proce	dure	Name (Procedure Code)	Updat	e M	anife	st In	nforn	natio	on (l	Before	the	e Mai	nifes	st Su	ıbm	issi	on p	oroc	edure) (CMF01)	
											_	Con	nditic	n						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Co full co	cor	tion of tainer, ntional go	10	Corre en cont	npty			Del	etio	n	Code	Input Condition/Format
36		Consignee Address 3/4 (City name)	CN3	an	35				С			-			-					<ul> <li>(1) When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field.</li> <li>(2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field.</li> <li>(3) Enter Consignee Address 3/4 (City name), which differs from the one registered in NACCS, as needed.</li> <li>(4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ul>
37		Consignee Address 4/4 (Country sub-entity, name)	CN4	an	35				С			-			-					<ul> <li>(1) When the consignee has no "Consignee Code", enter this field as needed.</li> <li>(2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed.</li> <li>(3) Enter Consignee Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed.</li> <li>(4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ul>
38		Consignee Postal Code (Postcode identification)	CNP	an	9				с						-					<ol> <li>When the consignee has no "Consignee Code", enter this field.</li> <li>When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Consignee Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.</li> </ol>
39		Consignee Country Code (Country, coded)	CNC	an	2				с			-			-				UN/LOCODE (Country name: 2 digits)	<ul> <li>(1) When the consignee has no "Consignee Code", enter this field.</li> <li>(2) When a country (regional) name corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field.</li> <li>(3) Enter Consignee Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed.</li> <li>(4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> </ul>
40		Consignee Telephone Number	CTL	an	14				С			-			-					<ul> <li>(1) When the consignee has no "Consignee Code", enter this field.</li> <li>(2) When a telephone number corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field.</li> <li>(3) Enter Consignee Telephone Number, which differs from the one registered in NACCS, as needed.</li> <li>* When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)</li> </ul>
41		Notify Party Code	NS_	an	17	2			с			-			-				Importer/Exporter Code Corporate Number	
42		Notify Party Name	NN_	an	70	*			С			-			-					<ul> <li>(1) When the notify party has no "Notify Party Code", entry of this field (at least one column) is mandatory.</li> <li>(2) When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field (at least one column) is mandatory.</li> </ul>

Proce	dure	Name (Procedure Code)	Updat	te M	anife	st In	form	ation	(Be	efore t					omis	ssio	n pr	oce	edure) (CMF01)	
							╞				C	ond	itior	ו ר						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full c conv	onta	tional		rrect emp onta	oty		[	Dele	tion		Code	Input Condition/Format
43		Notify Party Address (block entry)	NA_	an	175	*					-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field or the following separate notify party address fields.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or the following separate notify party address fields.</li> <li>When the following separate notify party address fields are filled in, entry of this field is NOT allowed.</li> </ol>
44		Notify Party Address 1/4 (Street and number/P.O. Box)	NE_	an	70	*			C		-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field.</li> <li>Enter Notify Party Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
45		Notify Party Address 2/4 (Street and number/P.O. Box)	NF_	an	35	*			C		-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field.</li> <li>Enter Notify Party Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
46		Notify Party Address 3/4 (City name)	NG_	an	35	*		(	C		-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field.</li> <li>Enter Notify Party Address 3/4 (City name), which differs from the one registered in NACCS, as needed.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>

4024-05-6

Proce	dure	Name (Procedure Code)	Updat	e M	anife	st In	form	natic	on (E	Before					bmi	ssic	on pr	oce	edure) (CMF01)	
												Con	ditio	n						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full	con	tion of tainer, ntional go		orre err cont	npty		[	Dele	etion		Code	Input Condition/Format
47		Notify Party Address 4/4 (Country sub-entity, name)	NH_	an	35	*			с		-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field as needed.</li> <li>When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field as needed.</li> <li>Enter Notify Party Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed.</li> <li>When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.</li> </ol>
48		Notify Party Postal Code (Postcode identification)																		<ol> <li>When the notify party has no "Notify Party Code", enter this field.</li> <li>When a notify party postal code corresponds to the contered "Notify Party Code" is NOT registered in NACCS.</li> </ol>
40		Notific Dorts Country	NP_	an	9	*			с		-				-				UN/LOCODE	entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.
49		Notify Party Country Code (Country, coded)	NC_	an	2	*			с		-				-				(Country name: 2 digits)	<ol> <li>When the notify party has no "Notify Party Code", enter this field.</li> <li>When a country (regional) name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Notify Party Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed.</li> <li>"ZX", "ZY" and "ZZ" are NOT allowed to enter.</li> </ol>
50		Notify Party Telephone Number	NL_	an	14	*			с		-				-					<ol> <li>When the notify party has no "Notify Party Code", enter this field.</li> <li>When a telephone number corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field.</li> <li>Enter Notify Party Telephone Number, which differs from the one registered in NACCS, as needed.</li> <li>* When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)</li> </ol>
51		Goods Description	CMD	an	350				м		-				-					
52		HS Code	HSN	an	6				с		-				-				HS Code (6 or 4 digits)	
53		Marks and Numbers	MRK	an	140				м		-				-					
54		Number of Packages	PCS	n	8				м		-				-				<u> </u>	<ul><li>(1) A decimal number cannot be entered.</li><li>(2) Enter "1" for cargo that cannot be expressed by quantity.</li></ul>
55		Number of Packages Unit Code	PUT	an	3				м		-				-				Package type code (UN/ECE Recommendation No.21/Alphabet)	
56		Gross Weight	GWT	n	10				м		-				-					<ol> <li>Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits].</li> <li>If the integer part is 7 digits. [Weight Unit Code] must be "KGM".</li> <li>If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".</li> </ol>

Proce	dure	Name (Procedure Code)	Updat	e Ma	anife	st In	form	nation	(Be	efore	the I	Manife	st Su	ıbmi	ssio	n pro	ce	dure) (CMF01)	
											0	Conditio	on						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full c conv	onta	tional		rrectio empty contain	'	I	Dele	tion		Code	Input Condition/Format
57		Weight Unit Code	WU1	an	3			Ν	Л		-			-				(UN/ECE	KGM: Kilogram TNE: Metric ton LBR: Pound
58		Net Weight	NWT	n	10			(			-			-					<ol> <li>Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits].</li> <li>If the integer part is 7 digits. [Weight Unit Code] must be "KGM".</li> <li>If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".</li> </ol>
59		Weight Unit Code	WU2	an	3				ľ	м	-			-				Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound
60		Measurement	VOL	n	10			N	л		-			-					Integer: 6 digits / Decimal: 3 digits
61		Measurement Unit Code	VUT	an	3			N	И		-			-				<b>`</b>	MTQ: Cubic meter FTQ: Cubic foot BFT: Board feed measure (Wood)
62		Country of Origin Code	ORG	an	2			(	2		-			-				UN/LOCODE (Country name: 2 digits)	
63		Special Cargo Code	SPC	an	3			C	2		-			-			:	SPC code	
64		Freight	FRT	n	18			(	5		-			-					<ul> <li>(1) If [Freight Currency Code] is not "JPY", the data can be entered with two decimal places.</li> <li>(2) If [Freight Currency Code] is "JPY", a decimal number cannot be entered.</li> </ul>
65		Freight Currency Code	FRC	an	3				,	M	-			-				Currency Code (ISO4217, Alphabet)	
66		Value	PRS	n	18			(	0		-			-					<ol> <li>Enter [Value] when [Customs Transit of Temporary Landing Cargo] is done.</li> <li>If [Value Currency Code] is not "JPY", the data can be entered with two decimal places.</li> <li>If [Value Currency Code] is "JPY", a decimal number cannot be entered.</li> </ol>
67		Value Currency Code	PRT	an	3				1	м	-			-		+		Currency Code (ISO4217, Alphabet)	
68		General Customs Transit Approval Number	HNO	an	11			(	c		-			-					Enter [General Customs Transit Approval Number] when [Separate Transit] for [General Customs Transit Approval] is done.
69		Temporary Landing Identifier	KRR	an	3			(	5		с			-				UN/EDIFACT code (7365)	28: Temporary Landing Cargo

Proce	dure	Name (Procedure Code)	Updat	e Ma	anife	st In	form	natio	n (E	Before					bmi	ssic	on pr	oce	edure) (CMF01)	
												Con	ditio	n I						
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full con	con	tion of tainer, ntional go		em	ction npty aine		I	Dele	etion		Code	Input Condition/Format
70		Reason for Temporary Landing Code	KRS	an	3					м		м			-				Reason for Temporary Landing Code	The code should not be "TRS" or "POS" when [Custom Transit Information] is registered for the temporary landing cargo. TRT: Reshipment to another foreign trading vessel (aircraft)(with transportation) TRS: Reshipment to another foreign trading vessel (aircraft)(without transportation) POS: Cargo handling in the same vessel REV: Container refill
71		Duration of Temporary Landing	PRD	n	2					м		м			-					<ol> <li>(1) Enter the number of days for [Duration of Temporary Landing] from the day when unloading is started.</li> <li>(2) The number of days entered must be within the duration registered in the system.</li> <li>(3) The number of days must be non-zero.</li> </ol>
72		Estimated Start Date of Transportation	SDT	n	8					с	-				-					<ul> <li>(1) Enter [Estimated Start Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done.</li> <li>(2) System date ≦ Estimated transport starting date</li> </ul>
73		Estimated Finish Date of Transportation	EDT	n	8					с	-				-					<ol> <li>(1) Enter the date to declare [Estimated Finish Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done.</li> <li>(2) Estimated Start Date of Transportation ≦ Estimated Finish Date of Transportation</li> </ol>
74		Code of Transportation Mode of Separate Transit/Customs Transit of Temporary Landing Cargo	BYA	an	2				с		-				-				UN/EDIFACT code (8179)	Enter [Code of Transportation Mode] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. 6r: AIRCRAFT 11: SHIP 16: BARGE 25: RAIL EXPRESS 31: TRUCK 17: OTHER
75		Arrival Place Code	ARR	an	5				с		-				-				Bonded Area Code	Enter [Arrival Place Code] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval].
76		Arrival Place Name	ARN	an	35				с		-				-				Bonded Area Code	Enter [Arrival Place Name] if [Arrival Place Name] for [Arrival Place Code] is not registered in the system.
77		Code of Other Relevant Laws and Ordinances	OR_	an	2	5			с		-				-				Code of Other Relevant Laws and Ordinances	Enter [Code of Other Relevant Laws and Ordinances] for [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval] and for the cargo to which [Other Relevant Laws and Ordinances] are applied.
78		Remark	NTE	an	140			Π	с	$\top$	-				-					
79	200	Container Number	CNO	an	12			с			м				с					<ol> <li>Enter [Container Number] for container cargo or empty container.</li> <li>Left justification</li> <li>If there is no input of this field, do not check for the following fields and do not register in the system</li> <li>If an empty container is cleared (import clearance procedure) as imported cargo, do not enter the information after [Container Number].</li> </ol>
80	*	Seal Number	SL_	an	15	6			с			с			-					

Proce	dure	Name (Procedure Code)	Updat	e Ma	anife	st In	form	nation	(Befor	e th	e Ma	nife	st Su	ıbm	issic	on pro	ce	dure) (CMF01)	
										Т	Co	nditio	on				-		
ltem No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	full co conv	ection ontaine ention argo	er,   <sup>0</sup>		ectio mpty ntain	'	I	Dele	etion		Code	Input Condition/Format
81	*	Empty/Full Container Identification	EFS	an	3			N	1		N	1		-				UN/EDIFACT code (8169)	4: Empty 5: Full
82	*	Container Size Code	SIZ	an	2			N	1		N	1		-				Container Size Code (ISO6346)	
83	*	Container Type Code	TYP	an	2			N	1		N	1		-				Container Model Code (ISO6346)	
84	*	Service Type on Delivery Code	DLV	an	2			N	1		×	<		-			-+		Enter [Service Type on Delivery Code] for full container. 51: CY Delivery 52: CFS Delivery 53: DOOR Delivery
85	*	Container Ownership Code	cow	an	3			M	1		N	1		-				UN/EDIFACT code (8077)	1: Shipper supplied 2: Carrier supplied 3: Consolidator supplied 4: Deconsolidator supplied 5: Third party supplied
86	*	Vanning Type Code	VAN	an	3			N	1		×	(		-				UN/EDIFACT code (7273)	Enter [Vanning Type Code] for full container. 1: Carrier loads 4: Shipper loads 16: Consignee loads
87	*	Customs Convention on Containers (CCC) Application Identifier	CTR	an	1			M			N	1		-					1: Container to which the Customs Convention on Containers (CCC) is applied but the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) is not applicable. 2: Container to which the Customs Convention on Containers (CCC) and the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) are applied. 3: Container to which the Law for Special Regulations Concerning Customs Convention on Containers (CCC) is not applicable.
88	*	Automatic Search for Discharged Container Exclusion Identifier	DCN	an	1			С	;		C	;		-					A: To register a description in which no automatic extraction is done through the "Discharge confirmation registration (Blanket)" procedure (PKI). B: To cancel a description in which no automatic extraction is done through the "Discharge confirmation registration (Blanket)" procedure (PKI).