Proce	dure	Name (Procedure Code)	Updat	e M	anifes	st In	form	ation (	After the	Ма	nifest	Subm		on pro		e) (0	CMF	02)				1	
	_			е	_	_	2	A 1 170														_	
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	conve	on of full tainer, entional argo	co	filled filled ntaine ulk ca	d er, in-		dditior empty ontain	, I		emp	tion of pty ainer		Dele	tion	Code	Input Condition/Format
1		Input Common Field		an	398			м		М			М			М			М				
2		Function Type Code	KND	an	1			М		М			М			М			М				2: Addition 5: Correction 1: Deletion
3		Reason for Correction Code	coc	an	1			М		М			М			М			x				Enter [Reason for Correction Code] if "2: Addition" or "5: Correction" is entered in [Function Type Code]. 1: Correction (change the quantity) 2: Correction/addition (Change the transportation contract etc.) 3: Correction/addition (Change the cargo operation etc.) 4: Correction/addition (Change the B/L Number) 5: Correction/addition (Error in reported contents) 6: Correction/addition (Others)
4		Reason for Correction	COR	an	210			С			С			С			С		x				Enter [Reason for Correction] if "6: Correction/addition (Others)" is entered in [Reason for Correction Code].
5		Reason for Deletion Code	DLC	an	1			x		x			x			x			М				Enter [Reason for Deletion Code] if "1: Deletion" is entered in [Function Type Code].  1: Loading suspended 2: Landing suspended 3: B/L Number changed 4: Misregistration 5: Others
6		Reason for Deletion	DLR	an	210			х		х			х			х				С			Enter [Reason for Deletion ] if "5: Others" is entered in [Reason for Deletion Code].
7		Vessel Code	SEN	an	9			м		М			М			М			М			Call sign	
8		Operating Carrier Voyage Number	UVO	an	10			С		С			С			С			-				Enter [Operating Carrier Voyage Number].
9		Voyage Number	VOY	an	10			С		С			С			С			-				
10		Carrier Code	SCA	an	4			М		М			М			М			М			Carrier Code (NACCS Carrier Code)	Enter [Carrier Code] of the Manifest Information for CMF procedure.
11		Port of Discharge Code	DPR	an	5			М		М			М			М			М			UN/LOCODE	(1) Enter [Port of Discharge Code] for port of discharge (or [Temporary Port of Discharge Code] for temporary port of discharge). (2) The port must be registered in the system as for coastal vessels.
12		Port of Discharge Suffix	EDA	an	1			С		С			С			С			С				Enter [Port of Discharge Suffix] (1 to 9) of the Manifest for CMF procedure.
13		Estimated Date of Arrival	IDT	n	8			С		С			С			С			-				
14		Container Operator Code	CYC	an	5			М		М			М			М			М			User Code	(1) Enter [User Code] of the Container Operator for CY handling. (2) Enter "99999" if the cargo is not landed in the CY or the container operator has not joined the system.
15		B/L Number	BLN	an	35			М		М			х			х			С				(1) The first 4 digits must be the Carrier Code (NACCS Carrier Code).     (2) The Number must be 5 digits or more.     (3) There should not be any comma.
16		Port of Loading Code	LPR	an	5			м			М		С			С		$\top$	-			UN/LOCODE	
17		Final Destination Code	DST	an	5			С			С		-			-			-			UN/LOCODE	(1) If the cargo is a temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started.  (2) If [Final Destination Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.
18		Final Destination Name	DSN	an	20			С			С		-			-			-				Enter [Final Destination Name] if a basket code is entered in [Final Destination Code] (including if [Final Destination Code] is converted to a basket code).

4024-07-1 <2019.03 Update>

Proce	dure	ure Name (Procedure Code) U			anifes	t Inf	orma	ition (A	After the	е Ма	nifest S	ubmi		n pro		re) (	CMF	02)						
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	be	cont conve	n of ful ainer, ntional rgo	cc	orrection filled ontainer, oulk carg	in-	Ad	ditior empt ontair	n of y		emp	tion o pty ainer	f	Del	etion		Code	Input Condition/Format
19		Place of Delivery Code	DLP	an	5			С			С		-			-			-				UN/LOCODE	(1) Enter [Place of Delivery Code] for the cargo shipped to Japan. (2) If the cargo is temporary landing cargo, the code should not be the same as [Port of Discharge Code]. (3) If the cargo is temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started. (4) If [Place of Delivery Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.
20		Place of Delivery Name	DLN	an	20			С			С		-			-			-					Enter [Place of Delivery Name] if a basket code is entered in [Place of Delivery Code] (including if [Place of Delivery Code] is converted to a basket code).
21		Consignor Code	SHS	an	17			С			С		-			-			-			- 1	Importer/Exporter Code Corporate Number	
22		Consignor Name	SHN	an	70			F			F		-			-			-					(1) When the consignor has no "Consignor Code", entry of this field is mandatory. (2) When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.
23		Consignor Address (block entry)	SHA	an	175			С			С		-			-			-					(1) When the consignor has no "Consignor Code", enter this field or the following separate consignor address fields. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or the following separate consignor address fields. (3) When the following separate consignor address fields are filled in, entry of this field is NOT allowed.
24		Consignor Address 1/4 (Street and number/P.O. Box)	SH1	an	70			С			С		-			-			-					(1) When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field. (3) Enter Consignor Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
25		Consignor Address 2/4 (Street and number/P.O. Box)	SH2	an	35			С			С		-			-			-					(1) When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field. (3) Enter Consignor Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
26		Consignor Address 3/4 (City name)	SH3	an	35			С			С		-			-			-					(1) When the consignor has no "Consignor Code", enter this field or "Consignor Address (block entry)" field. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field or "Consignor Address (block entry)" field. (3) Enter Consignor Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.

Proce	edure	Name (Procedure Code)	Updat	e Ma	anifes	st Info	ormatio	n (After	the	Man	fest Sub		ion p		lure)	(CN	ИF02	2)				T		
						_	2						00110	iluoii										
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat	lition of ontainer ovention cargo	r,	con	rection of filled ainer, in lk cargo	.   ′	Additi em conta		C	eı	ectior mpty ntaine		ı	Dele	tion		Code	Input Condition/Format
27		Consignor Address 4/4 (Country sub-entity, name)	SH4	an	35			С			С	-			-				-					(1) When the consignor has no "Consignor Code", enter this field as needed. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignor Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
28		Consignor Postal Code (Postcode identification)	SHP	an	9			С			C	-			-				-					(1) When the consignor has no "Consignor Code", enter this field. (2) When a consignor postal code corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.
29		Consignor Country Code (Country, coded)	SHC	an	2			С			С	-			-				-			(	JN/LOCODE Country name in 2 digits)	(1) When the consignor has no "Consignor Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
300		Consignor Telephone Number	SHT	an	14			С			C	-			-				-					(1) When the consignor has no "Consignor Code", enter this field. (2) When a telephone number corresponds to the entered "Consignor Code" is NOT registered in NACCS, enter this field. (3) Enter Consignor Telephone Number, which differs from the one registered in NACCS, as needed.  * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)
31		Consignee Code	CNS	an	17			С			С	†-			-				-			C	mporter/Exporter Code Corporate Number	
32		Consignee Name	CNN	an	70			F			F	-			-				-					(1) When the consignee has no "Consignee Code", entry of this field is mandatory. (2) When a consignee name corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field is mandatory.
33		Consignee Address (block entry)	CNA	an	175			С			С	-			-				-					(1) When the consignee has no "Consignee Code", enter this field or the following separate consignee address fields. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or the following separate consignee address fields.  (3) When the following separate consignee address fields are filled in, entry of this field is NOT allowed.
34		Consignee Address 1/4 (Street and number/P.O. Box)	CN1	an	70			С			C	-			-				-					(1) When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field. (3) Enter Consignee Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.

Proce	dure	Name (Procedure Code)	Updat	е Ма	anifes	t Info	rmati	on (A	fter the	Mar	ifest Su	bmis		proce		e) (CI	MF02	2)					
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	ğ.	conta onve	n of full ainer, ntional rgo	cor	rection filled tainer, ii	n-	er	ition o npty itaine		е	ection mpty ntain	/	ı	Dele	ion	Code	Input Condition/Format
35		Consignee Address 2/4 (Street and number/P.O. Box)	CN2	an	35			С			C					-			-				(1) When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field. (3) Enter Consignee Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
36		Consignee Address 3/4 (City name)	CN3	an	35			С			С					-			-				(1) When the consignee has no "Consignee Code", enter this field or "Consignee Address (block entry)" field. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field or "Consignee Address (block entry)" field. (3) Enter Consignee Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
37		Consignee Address 4/4 (Country sub-entity, name)	CN4	an	35			С			С	-				-			-				(1) When the consignee has no "Consignee Code", enter this field as needed. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignee Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
38		Consignee Postal Code (Postcode identification)	CNP	an	9			С			С	-				-			-				(1) When the consignee has no "Consignee Code", enter this field. (2) When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.
39		Consignee Country Code (Country, coded)	CNC	an	2			С			C					-			-			UN/LOCODE (Country name in 2 digits)	(1) When the consignee has no "Consignee Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
40		Consignee Telephone Number	CTL	an	14			С			С					-			-				(1) When the consignee has no "Consignee Code", enter this field. (2) When a telephone number corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Telephone Number, which differs from the one registered in NACCS, as needed.  * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)
41		Notify Party Code	NS_	an	17	2		С			С	-			1	-			-			Importer/Exporter Code Corporate Number	
42		Notify Party Name	NN_	an	70	*		С			С	-				-			-				(1) When the notify party has no "Notify Party Code", entry of this field (at least one column) is mandatory. (2) When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field (at least one column) is mandatory.

Proce	dure	Name (Procedure Code)	Updat	e Ma	anifes	st Ini	format	tion (A	After the	е Ма	nifest S	Subm		n pro		re) (	CMF	02)					
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	be	cont conve	on of full ainer, entional rgo	co	orrectio filled ntainer ulk car	, in-	Ad	Iditior empt ontair	n of y		orrect emp conta		of	Dele	etion	Code	Input Condition/Format
43		Notify Party Address (block entry)	NA_	an	175	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field or the following separate notify party address fields.  (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or the following separate notify party address fields.  (3) When the following separate notify party address fields are filled in, entry of this field is NOT allowed.
44		Notify Party Address 1/4 (Street and number/P.O. Box)	NE_	an	70	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field. (3) Enter Notify Party Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
45		Notify Party Address 2/4 (Street and number/P.O. Box)	NF_	an	35	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field. (3) Enter Notify Party Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
46		Notify Party Address 3/4 (City name)	NG_	an	35	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field or "Notify Party Address (block entry)" field. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field or "Notify Party Address (block entry)" field. (3) Enter Notify Party Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
47		Notify Party Address 4/4 (Country sub-entity, name)	NH_	an	35	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field as needed. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Notify Party Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.
48		Notify Party Postal Code (Postcode identification)	NP_	an	9	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field. (2) When a notify party postal code corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.

-07-5 <2019.03 Update>

Proce	dure	Name (Procedure Code)	Updat	е Ма	anifes	st Inf	forma	ation (	After	the N	/lanife	st Subi		on pro		ıre) (	(CMF	02)					
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	be	conve	tainer	,	fill contai	ction of ed ner, in- cargo	^	dditio emp	ty		orrect emp			Dele	etion	Code	Input Condition/Format
49		Notify Party Country Code (Country, coded)	NC_	an	2	*		С			С		-			-			-			UN/LOCODE (Country name in 2 digits)	(1) When the notify party has no "Notify Party Code", enter this field. (2) When a country (regional) name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.
50		Notify Party Telephone Number	NL_	an	14	*		С			С		-			-			-				(1) When the notify party has no "Notify Party Code", enter this field. (2) When a telephone number corresponds to the entered "Notify Party Code" is NOT registered in NACCS, enter this field. (3) Enter Notify Party Telephone Number, which differs from the one registered in NACCS, as needed.  * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)
51		Goods Description	CMD	an	350			М		+	М		-			<u> </u>		+	-				
52		HS Code	HSN	an	6			С			С		-			-			-			HS Code (6 or 4 digits)	
53		Marks and Numbers	MRK	an	140			М		+	М		<u> </u>			<u> </u>			<u> </u>				
54		Number of Packages	PCS					М	H		М		-			-			-				(1) A decimal number cannot be entered. (2) Enter "1" for cargo that cannot be expressed by quantity.
55		Number of Packages Unit Code	PUT	an	3			М			М		-			-			-			Package type code (UN/ECE Recommendation No.21/alphabet)	
56		Gross Weight	GWT	n	10			М			М		-			-			-				(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) if the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) if [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".
57		Weight Unit Code	WU1	an	3			М			М		-			-			-			Quantity unit code (UN/ECE Recommendation No.20/alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound
58		Net Weight	NWT	n	10			С			С		-			-			_				(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input + 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".
59		Weight Unit Code	WU2	an	3				М			М	-			-			-			Quantity unit code (UN/ECE Recommendation No.20/alphabet)	Integer: 6 digits / Decimal: 3 digits
60		Measurement	VOL	n	10			М	H	+	М		-			<del> </del>	H	+	+	$\vdash$			Integer: 6 digits / Decimal: 3 digits
61		Measurement Unit Code	VUT	an	3			М			М		-			-			-			Quantity unit code (UN/ECE Recommendation No.20/alphabet)	MTQ: Cubic meter FTQ: Cubic foot BFT: Board feet measure (Wood)
62		Country of Origin Code	ORG	an	2			С			С		-			-			-			UN/LOCODE (Country name in 2 digits)	
63		Special Cargo Code	SPC	an	3			С			С		-			-			-			SPC code	

Proce	dure	Name (Procedure Code)	Update	е Ма	anifes	st Inf	forma	ation (	After	r the	Manif	est S	ubmi		n pro		ure)	(CM	F02)					
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	be	Addition contents of the conte	taine	er, onal	f conta	illed	in-		dditio emp ontai	ty		em	ction o pty ainer	of	De	eletion	Code	Input Condition/Format
64		Freight	FRT	n	18			С			C	;		-			-			-				(1) If [Freight Currency Code] is not "JPY", the data can be entered to two places of decimals. (2) If [Freight Currency Code] is "JPY", a decimal number cannot be entered.
65		Freight Currency Code	FRC	an	3				М			М		-			-			-			Currency Code (ISO4217, alphabet)	
66		Value	PRS	n	18			С			C	;		-			-			-				(1) Enter [Value] when [Customs Transit of Temporary Landing Cargo] is done. (2) If [Value Currency Code] is not "JPY", the data can be entered to two places of decimals. (3) If [Value Currency Code] is "JPY", a decimal number cannot be entered.
67		Value Currency Code	PRT	an	3				М			М		-			-			-			Currency Code (ISO4217, alphabet)	
68		General Customs Transit Approval Number	HNO	an	11			С				;		-			-			-				Enter [General Customs Transit Approval Number] when [Separate Transit] for [General Customs Transit Approval] is done.
69		Temporary Landing Identifier	KRR	an	3			С			c	;		С			С			-			UN/EDIFACT code (7365)	28: Temporary Landing Cargo
70		Reason for Temporary Landing Code	KRS	an	3				М			М			М			М		-			Reason for Temporary Landing Code	The code should not be "TRS" or "POS" when [Custom Transit Information] is registered for the temporary landing cargo. TRT: Reshipment to another foreign trading vessel (aircraft)(with transportation) TRS: Reshipment to another foreign trading vessel (aircraft)(without transportation) POS: Cargo handling in the same vessel REV: Container refill
71		Duration of Temporary Landing	PRD	n	2				М			M			М			М		-				(1) Enter the number of days for [Duration of Temporary Landing] from the day when unloading is started. (2) The number of days entered must be within the duration registered in the system. (3) The number of days must be non-zero.
72		Estimated Start Date of Transportation	SDT	n	8				С			С		-			-			-				(1) Enter [Estimated Start Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) System date ≦ Estimated transport starting date
73		Estimated Finish Date of Transportation	EDT	n	8				С			С		-			-			-				(1) Enter the date to declare [Estimated Finish Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) Estimated Start Date of Transportation ≦ Estimated Finish Date of Transportation
74		Code of Transportation Mode of Separate Transit/Customs Transit of Temporary Landing Cargo	BYA	an	2			С			C			-			-			-			UN/EDIFACT code (8179)	Enter [Code of Transportation Mode] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. 6r: AIRCRAFT 11: SHIP 16: BARGE 25: RAIL EXPRESS 31: TRUCK 17: OTHER
75		Arrival Place Code	ARR	an	5			С			C	;		-		+	-			-			Bonded Area Code	Enter [Arrival Place Code] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval].
76		Arrival Place Name	ARN	an	35			С			c	;		-		$\dagger$	-			+				Enter [Arrival Place Name] if [Arrival Place Name] for [Arrival Place Code] is not registered in the system.
77		Code of Other Relevant Laws and Ordinances	OR_	an	2	5		С			c	;		-		+	-			†  -			Code of Other Relevant Laws and Ordinances	Enter [Code of Other Relevant Laws and Ordinances] for [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval] and for the cargo to which [Other Relevant Laws and Ordinances] are applied.
78		Remark	NTE	an	140			С			c	;		-			-			-	1			

-07-7 <2019.03 Update>

Proce	edure	Name (Procedure Code)	Updat	е Ма	anifes	t Inf	ormat	tion	(After the	Mai	nifest	Subm	nissio	on pro	ocedu	re) (	CMF	-02)					
													С	Condi	tion								
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	cor	ion of full tainer, rentional argo	coı	orrecti filled ntaine ulk ca	er, in-	A	dditio emp ontai	ty		emp	tion o pty ainer		De	eletion	Code	Input Condition/Format
79	200	Container Number	CNO	an	12		(			С			м			М			C				(1) Enter [Container Number] for container cargo or empty container. (2) Left justification (3) If there is no input of this field, do not check for the following fields and do not register in the system (*) If an empty container is cleared (import clearance procedure) as imported cargo, do not enter the information after [Container Number].
80	*	Seal Number	SL_	an	15	6		0	;		С			С			С		1.	ł			
81	*	Empty/Full Container Identification	EFS	an	3			N	1		М			М			М		-	1		UN/EDIFACT code (8169)	4: Empty 5: Full
82	*	Container Size Code	SIZ	an	2			N	1		м			м			М			1		Container Size Code (ISO6346)	
83	*	Container Type Code	TYP	an	2			N	4		М			М			М			+		Container Model Code (ISO6346)	
84	*	Service Type on Delivery Code	DLV	an	2			N	4		М			х			x		-				Enter [Service Type on Delivery Code] for full container. 51: CY Delivery 52: CFS Delivery 53: DOOR Delivery
85	*	Container Ownership Code	cow	an	3			N	1		М			М			М		-			UN/EDIFACT code (8077)	1: Shipper supplied 2: Carrier supplied 3: Consolidator supplied 4: Deconsolidator supplied 5: Third party supplied
86	*	Vanning Type Code	VAN	an	3			N	1		М			х			х		-			UN/EDIFACT code (7273)	Enter [Vanning Type Code] for full container.  1: Carrier loads  4: Shipper loads  16: Consignee loads
87	*	Customs Convention on Containers (CCC) Application Identifier	CTR	an	1			N	1		М			M			М		-	-			1: Container for which the Customs Convention on Containers (CCC) is applied but the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) is not applicable.  2: Container for which the Customs Convention on Containers (CCC) and the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) are applied.  3: Container for which the Law for Special Regulations Concerning Customs Convention on Containers (CCC) is not applicable.
88	*	Automatic Search for Discharged Container Exclusion Identifier	DCN	an	1			C			С			С			С		-				A: To register a description in which no automatic extraction is done through the "Discharge confirmation registration (Blanket)" procedure (PKI).  B: To cancel a description in which no automatic extraction is to done through the "Discharge confirmation registration (Blanket)" procedure (PKI).

4024-07-8 <2019.03 Update>