

Procedure Name (Procedure Code)			Manifest Information Registration (MFR)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
								In the case of full container, conventional cargo				In the case of an empty container																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1		Input Common Field		an	398			M				M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

Procedure Name (Procedure Code)		Manifest Information Registration (MFR)																				
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format	
								In the case of full container, conventional cargo				In the case of an empty container										
18		Final Destination Name	DSN	an	20				C		-											Enter [Final Destination Name] if a basket code is entered in [Final Destination Code] (including if [Final Destination Code] is converted to a basket code).
19		Place of Delivery Code	DLP	an	5				C		-											(1) Enter [Place of Delivery Code] for cargo shipped to Japan. (2) If the cargo is temporary landing cargo, the code should not be the same as [Port of Discharge Code]. (3) If the cargo is temporary landing cargo and if [Final Destination Code] that is not registered system is entered, the three characters following the 3rd digit should be converted to "ZZZ" (basket code) in the system, and the process should be started. (4) If [Place of Delivery Code] is converted to a basket code, the converted basket code must have been registered as a foreign code.
20		Place of Delivery Name	DLN	an	20				C		-											Enter [Place of Delivery Name] if a basket code is entered in [Place of Delivery Code] (including if [Place of Delivery Code] is converted to a basket code).
21		Consignor Code	SHS	an	17				C		-									Exporter/Importer Code Corporate Number		
22		Consignor Name	SHN	an	70				F		-											(1) When the consignor has no "Consignor Code", entry of this field is mandatory. (2) When a consignor name corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field is mandatory.
23		Consignor Address (block entry)	SHA	an	175				C		-											(1) When the consignor has no "Consignor Code", entry of this field or the following separate consignor address fields is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or the following separate consignor address fields is mandatory. (3) When the following separate consignor address fields are filled in, entry of this field is NOT allowed.
24		Consignor Address 1/4 (Street and number/P.O. Box)	SH1	an	70				C		-											(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory. (3) Enter Consignor Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.
25		Consignor Address 2/4 (Street and number/P.O. Box)	SH2	an	35				C		-											(1) When the consignor has no "Consignor Code", entry of this field or "Consignor Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignor Code" is NOT registered in NACCS, entry of this field or "Consignor Address (block entry)" field is mandatory. (3) Enter Consignor Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignor Address (block entry)" is filled in, entry of this field is NOT allowed.

Procedure Name (Procedure Code)		Manifest Information Registration (MFR)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
								In the case of full container, conventional cargo				In the case of an empty container																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
26		Consignor Address 3/4 (City name)	SH3	an	35					C		-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Procedure Name (Procedure Code)		Manifest Information Registration (MFR)																	
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition										Code	Input Condition/Format
								In the case of full container, conventional cargo					In the case of an empty container						
33		Consignee Address (block entry)	CNA	an	175				C		-								(1) When the consignee has no "Consignee Code", entry of this field or the following separate consignee address fields is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or the following separate consignee address fields is mandatory. (3) When the following separate consignee address fields are filled in, entry of this field is NOT allowed.
34		Consignee Address 1/4 (Street and number/P.O. Box)	CN1	an	70				C		-								(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory. (3) Enter Consignee Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
35		Consignee Address 2/4 (Street and number/P.O. Box)	CN2	an	35				C		-								(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory. (3) Enter Consignee Address 2/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
36		Consignee Address 3/4 (City name)	CN3	an	35				C		-								(1) When the consignee has no "Consignee Code", entry of this field or "Consignee Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, entry of this field or "Consignee Address (block entry)" field is mandatory. (3) Enter Consignee Address 3/4 (City name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
37		Consignee Address 4/4 (Country sub-entity, name)	CN4	an	35				C		-								(1) When the consignee has no "Consignee Code", enter this field as needed. (2) When an address corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field as needed. (3) Enter Consignee Address 4/4 (Country sub-entity, name), which differs from the one registered in NACCS, as needed. (4) When "Consignee Address (block entry)" is filled in, entry of this field is NOT allowed.
38		Consignee Postal Code (Postcode identification)	CNP	an	9				C		-								(1) When the consignee has no "Consignee Code", enter this field. (2) When a consignee postal code corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Postal Code (Postcode identification), which differs from the one registered in NACCS, as needed.

Procedure Name (Procedure Code)			Manifest Information Registration (MFR)																			
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format	
								In the case of full container, conventional cargo				In the case of an empty container										
39		Consignee Country Code (Country, coded)	CNC	an	2				C		-									UN/LOCODE (Country name in 2 digits)	(1) When the consignee has no "Consignee Code", enter this field. (2) When a country (regional) name corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Country Code (Country, coded), which stands for a country (regional) name different from the one registered in NACCS, as needed. (4) "ZX", "ZY" and "ZZ" are NOT allowed to enter.	
40		Consignee Telephone Number	CTL	an	14				C		-										(1) When the consignee has no "Consignee Code", enter this field. (2) When a telephone number corresponds to the entered "Consignee Code" is NOT registered in NACCS, enter this field. (3) Enter Consignee Telephone Number, which differs from the one registered in NACCS, as needed. * When you input this field, enter a telephone number from a long distance code. (Do NOT enter delimiter.)	
41		Notify Party Code	NS_	an	17	2			C		-									Exporter/Importer Code Corporate Number		
42		Notify Party Name	NN_	an	70	*			C		-										(1) When the notify party has no "Notify Party Code", entry of this field (at least one column) is mandatory. (2) When a notify party name corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field (at least one column) is mandatory.	
43		Notify Party Address (block entry)	NA_	an	175	*			C		-										(1) When the notify party has no "Notify Party Code", entry of this field or the following separate notify party address fields is mandatory. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or the following separate notify party address fields is mandatory. (3) When the following separate notify party address fields are filled in, entry of this field is NOT allowed.	
44		Notify Party Address 1/4 (Street and number/P.O. Box)	NE_	an	70	*			C		-										(1) When the notify party has no "Notify Party Code", entry of this field or "Notify Party Address (block entry)" field is mandatory. (2) When an address corresponds to the entered "Notify Party Code" is NOT registered in NACCS, entry of this field or "Notify Party Address (block entry)" field is mandatory. (3) Enter Notify Party Address 1/4 (Street and number/P.O. Box), which differs from the one registered in NACCS, as needed. (4) When "Notify Party Address (block entry)" is filled in, entry of this field is NOT allowed.	

Procedure Name (Procedure Code)		Manifest Information Registration (MFR)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								In the case of full container, conventional cargo				In the case of an empty container																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
45		Notify Party Address 2/4 (Street and number/P.O. Box)	NF_	an	35	*					C		-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Procedure Name (Procedure Code)			Manifest Information Registration (MFR)																			
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format	
								In the case of full container, conventional cargo				In the case of an empty container										
51		Goods Description	CMD	an	350			M		-												
52		HS Code	HSN	an	6			C		-								HS Code (6 digits or 4 digits)				
53		Marks and Numbers	MRK	an	140			M		-												
54		Number of Packages	PCS	n	8			M		-										(1) A decimal number cannot be entered. (2) Enter "1" for cargo that cannot be expressed by quantity.		
55		Number of Packages Unit Code	PUT	an	3			M		-								Package type code (UN/ECE Recommendation No.21/Alphabet)				
56		Gross Weight	GWT	n	10			M		-										(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".		
57		Weight Unit Code	WU1	an	3			M		-								Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound			
58		Net Weight	NWT	n	10			C		-										(1) Enter [Gross Weight] in [Integer: 6 digits / Decimal: 3 digits] or [Integer: 7 digits / Decimal: 2 digits]. (2) If the integer part is 7 digits. [Weight Unit Code] must be "KGM". (3) If [Weight Unit Code] is set as "KGM" (as above), set the cargo information with the value of [Input ÷ 1000] (the decimal value of input is truncated), and convert [Weight Unit Code] to "TNE".		
59		Weight Unit Code	WU2	an	3			M		-								Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	KGM: Kilogram TNE: Metric ton LBR: Pound			
60		Measurement	VOL	n	10			M		-										Integer: 6 digits / Decimal: 3 digits		
61		Measurement Unit Code	VUT	an	3			M		-								Quantity unit code (UN/ECE Recommendation No.20/Alphabet)	MTQ: Cubic meter FTQ: Cubic foot BFT: Board feet measure (Wood)			
62		Country of Origin Code	ORG	an	2			C		-								UN/LOCODE (Country name in 2 digits)				
63		Special Cargo Code	SPC	an	3			C		-								SPC code				
64		Freight	FRT	n	18			C		-										(1) If [Freight Currency Code] is not "JPY", the data can be entered with two decimal places. (2) If [Freight Currency Code] is "JPY", a decimal number cannot be entered.		

Procedure Name (Procedure Code)		Manifest Information Registration (MFR)																			
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition												Code	Input Condition/Format
								In the case of full container, conventional cargo				In the case of an empty container									
65		Freight Currency Code	FRC	an	3					M	-								Currency Code (ISO4217, alphabet)		
66		Value	PRS	n	18					C	-									(1) Enter [Value] when [Customs Transit of Temporary Landing Cargo] is done. (2) If [Value Currency Code] is not "JPY", the data can be entered with two decimal places. (3) If [Value Currency Code] is "JPY", a decimal number cannot be entered.	
67		Value Currency Code	PRT	an	3					M	-								Currency Code (ISO4217, alphabet)		
68		General Customs Transit Approval Number	HNO	an	11					C	-									Enter [General Customs Transit Approval Number] when [Separate Transit] for [General Customs Transit Approval] is done.	
69		Temporary Landing Identifier	KRR	an	3					C		C							UN/EDIFACT code (7365)	28: Temporary Landing Cargo	
70		Reason for Temporary Landing Code	KRS	an	3					M		M							Reason for Temporary Landing Code	The code should not be "TRS" or "POS" when [Custom Transit Information] is registered for the temporary landing cargo. TRT: Reshipment to another foreign trading vessel (aircraft)(with transportation) TRS: Reshipment to another foreign trading vessel (aircraft)(without transportation) POS: Cargo handling in the same vessel REV: Container refill	
71		Duration of Temporary Landing	PRD	n	2					M		M								(1) Enter the number of days for [Duration of Temporary Landing] from the day when unloading is started. (2) The number of days entered must be within the duration registered in the system. (3) The number of days must be non-zero.	
72		Estimated Start Date of Transportation	SDT	n	8					C	-									(1) Enter [Estimated Start Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) System date ≤ Estimated transport starting date	
73		Estimated Finish Date of Transportation	EDT	n	8					C	-									(1) Enter the date to declare [Estimated Finish Date of Transportation] if [Customs Transit of Temporary Landing Cargo] is done. (2) Estimated Start Date of Transportation ≤ Estimated Finish Date of Transportation	
74		Code of Transportation Mode of Separate Transit/Customs Transit of Temporary Landing Cargo	BYA	an	2					C	-								UN/EDIFACT code (8179)	(1) Enter [Code of Transportation Mode] when [Customs Transit] of temporary landing cargo is done. (2) Enter [Code of Transportation Mode] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval]. Note: If no data is entered, add [31: TRUCK] and register the code. 6△: AIRCRAFT 11: SHIP 16: BARGE 25: RAIL EXPRESS 31: TRUCK 17: OTHER	

Procedure Name (Procedure Code)			Manifest Information Registration (MFR)																		
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition											Code	Input Condition/Format	
								In the case of full container, conventional cargo			In the case of an empty container										
75		Arrival Place Code	ARR	an	5			C			-							Bonded Area Code	Enter [Arrival Place Code] if [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval].		
76		Arrival Place Name	ARN	an	35			C			-								Enter [Arrival Place Name] if [Arrival Place Name] for [Arrival Place Code] is not registered in the system.		
77		Code of Other Relevant Laws and Ordinances	OR_	an	2	5		C			-							Code of Other Relevant Laws and Ordinances	Enter [Code of Other Relevant Laws and Ordinances] for [Separate Transit/Customs Transit of Temporary Landing Cargo] for [General Customs Transit Approval] and for the cargo to which [Other Relevant Laws and Ordinances] are applied.		
78		Remark	NTE	an	140			C			-										
79	200	Container Number	CNO	an	12			C			M								(1) Enter [Container Number] for container cargo or empty container. (2) Left justification (3) If there is no input of this field, do not check for the following fields and do not register in the system (*) If an empty container is cleared (import clearance procedure) as imported cargo, do not enter the information after [Container Number].		
80	*	Seal Number	SL_	an	15	6		C			C										
81	*	Empty/Full Container Identification	EFS	an	3			M			M							UN/EDIFACT code (8169)	4: Empty 5: Full		
82	*	Container Size Code	SIZ	an	2			M			M							Container Size Code (ISO6346)			
83	*	Container Type Code	TYP	an	2			M			M							Container Model Code (ISO6346)			
84	*	Service Type on Delivery Code	DLV	an	2			M			X								Enter [Service Type on Delivery Code] for full container. 51: CY Delivery 52: CFS Delivery 53: DOOR Delivery		
85	*	Container Ownership Code	COW	an	3			M			M							UN/EDIFACT code (8077)	1: Shipper supplied 2: Carrier supplied 3: Consolidator supplied 4: Deconsolidator supplied 5: Third party supplied		
86	*	Vanning Type Code	VAN	an	3			M			X							UN/EDIFACT code (7273)	Enter [Vanning Type Code] for full container. 1: Carrier loads 4: Shipper loads 16: Consignee loads		

Procedure Name (Procedure Code)			Manifest Information Registration (MFR)																	
Item No.	Column	Field name	ID	Attribute	Length	Repeat 1	Repeat 2	Condition										Code	Input Condition/Format	
								In the case of full container, conventional cargo					In the case of an empty container							
87	*	Customs Convention on Containers (CCC) Application Identifier	CTR	an	1					M			M							1: Container to which the Customs Convention on Containers (CCC) is applied but the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) is not applicable. 2: Container to which the Customs Convention on Containers (CCC) and the Law for Special Regulations Concerning Customs Convention on Containers (CCC) - Article 8 (Special Regulations for domestically produced containers) are applied. 3: Container to which the Law for Special Regulations Concerning Customs Convention on Containers (CCC) is not applicable.
88	*	Automatic Search for Discharged Container Exclusion Identifier	DCN	an	1					C			C							A: To register a description in which no automatic extraction is done through the "discharge confirmation registration (batch)" procedure (PKI).